

GLIS3 Rabbit pAb

货号: **AYP14124**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	83kDa/99kDa
实测分子量	84KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-937,Mouse ovary(Negative control)
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 606-775 of human GLIS 3 (NP_689842.3).
序列	DAGAERFAPSAPSPHHISPRRVPAPSSILQRTQPPYTQQPSGSHLKSYPETNSSFQPNGIHVHGFYQQLQKFCPPHYPD QRIVPPVSSCSVVPSEDFEDCLVPTSMGQASFDVHFRAFSTHSGITVYDLPSSSSSLFGESLRSGAEDATFLQISTVDRCPSQL SSVYTEG

靶点信息

研究背景	This gene is a member of the GLI-similar zinc finger protein family and encodes a nuclear protein with five C2H2-type zinc finger domains. This protein functions as both a repressor and activator of transcription and is specifically involved in the development of pancreatic beta cells, the thyroid, eye, liver and kidney. Mutations in this gene have been associated with neonatal diabetes and congenital hypothyroidism (NDH). Alternatively spliced variants that encode different protein isoforms have been described but the full-length nature of only two have been determined.
------	---

基因ID	169792
基因名	GLIS3
Swiss	Q8NEA6
别名	GLIS3;NDH;ZNF515

产品验证



Western blot analysis of GLIS3 expressed in U-937, Mouse ovary (Negative control) using GLIS3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn