

THUMPD3 Rabbit pAb

货号: **AYP14220**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	57kDa
实测分子量	57kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2,A-549,MCF7
细胞定位	cytoplasm,cytosol,nucleolus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-250 of human THUMP D3 (NP_056268.2).
序列	MCDIEEATNQLLDVNLHENQKSVQVTESDLGSESELLVTIGATVPTGFEQTAADDEVREKLGSSCKISRDRGKIYFVISVESL AQVHCLRSVDNLFVVVQEFQDYQFKQTKEEVLKDFEDLAGKLPWSNPLKVVKINASFKKKAKRKKINQSSKEKINNG QEVKIDQRNVKKEFTSHALDASHILDYYENPAIKEDVSTLIGDDLASCKDETDSSKEETEPQVLKFRVTCNRAGEKHCFTSN EAARDFG

靶点信息

研究背景	Predicted to enable tRNA (guanine) methyltransferase activity. Predicted to be involved in tRNA methylation. Located in cytosol and nucleolus.
基因ID	25917

基因名	THUMPD3
Swiss	Q9BV44
别名	THUMPD3

产品验证



Western blot analysis of THUMPD3 expressed in LO2,A-549,MCF7 using THUMPD3 Rabbit pAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn