

— ABLYBIO, Help Your Research



CDK13 Rabbit pAb

货号: **AYP14234**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB
推荐浓度	WB: 1:1000 - 1:2000
理论分子量	158kDa/164kDa
实测分子量	164kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG
细胞定位	Nucleus speckle
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 620-900 of human CDK 13 (NP_003709.3).
------	--

靶点信息

研究背景	The protein encoded by this gene is a member of the cyclin-dependent serine/threonine protein kinase family. Members of this family are well known for their essential roles as master switches in cell cycle control. The exact function of this protein has not yet been determined, but it may play a role in mRNA processing and may be involved in regulation of hematopoiesis. Alternatively spliced transcript variants have been described.
基因ID	8621
基因名	CDK13
Swiss	Q14004 (https://www.uniprot.org/uniprotkb/Q14004/entry)
别名	CDK13,CDC2L,CDC2L5,CHDFIDD,CHED,hCDK13,CDK13 Rabbit pAb,CDC2-related protein kinase 5,Cell division cycle 2-like protein kinase 5,Cell division protein kinase 13,Cholinesterase-related cell division controller,KIAA1791

产品验证



Western blot analysis of CDK13 expressed in U-87MG using CDK13 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)