

— ABLYBIO, Help Your Research



RXRB Rabbit pAb

货号: **AYP14300**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens,Mus musculus
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	56kDa/57kDa
实测分子量	70-72KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat thymus
细胞定位	cytoplasm,nucleoplasm,nucleus
纯化	Affinity purification


抗原信息

抗原信息	A synthetic peptide corresponding to a sequence within amino acids 250-350 of human RXRB (NP_001257330.1).
------	--

靶点信息

研究背景	This gene encodes a member of the retinoid X receptor (RXR) family of nuclear receptors which are involved in mediating the effects of retinoic acid (RA). The encoded protein forms homodimers with the retinoic acid, thyroid hormone, and vitamin D receptors, increasing both DNA binding and transcriptional function on their respective response elements. This gene lies within the major histocompatibility complex (MHC) class II region on chromosome 6. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
基因ID	6257
基因名	RXRB
Swiss	P28702 (https://www.uniprot.org/uniprotkb/P28702/entry)
别名	DAUDI6,H-2RIIBP,NR2B2,RCoR-1,RXRB,RXRB Rabbit pAb,Nuclear receptor subfamily 2 group B member 2, Retinoid X receptor beta

产品验证



Western blot analysis of RXRB expressed in Mouse brain,Rat thymus using RXRB Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)