

RAD54L Rabbit pAb

货号: **AYP14346**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	IHC: Mus musculus,Homo sapiens WB: Mus musculus,Homo sapiens
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	84kDa
实测分子量	84KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis,Mouse spleen,Mouse thymus,Rat testis
细胞定位	nucleoplasm,nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 648-747 of human RAD 54L (Q92698).
序列	EEQDVERHFSLGELKELFILDEASLSDTHDRLHCRRCVNSRQIRPPPDGSDCTSDLAGWNHCTDKWGLRDEVLQAAWD AASTAITFVFHQRSHEEQRGLR

靶点信息

研究背景	The protein encoded by this gene belongs to the DEAD-like helicase superfamily, and shares similarity with <i>Saccharomyces cerevisiae</i> Rad54, a protein known to be involved in the homologous recombination and repair of DNA. This protein has been shown to play a role in homologous recombination related repair of DNA double-strand breaks. The binding of this protein to double-strand DNA induces a DNA topological change, which is thought to facilitate homologous DNA pairing, and stimulate DNA recombination. Alternative splicing results in multiple transcript variants encoding the same protein.
------	---

基因ID	8438
基因名	RAD54L
Swiss	Q92698
别名	HR54; hHR54; RAD54A; hRAD54

产品验证



Western blot analysis of RAD54L expressed in Mouse testis,Rat testis,Mouse spleen using RAD54L Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 1 20s.

实验步骤

访问官网浏览详情: www.ablybio.cn