

ZEB1 Rabbit pAb

货号: AYP14372

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	116kDa/122kDa/124kDa
实测分子量	180kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Jurkat
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human ZEB1 (NP_110378.3).
序列	MADGPRCKRRKQANPRRNNVTNYNTVVETNSDSDDKDLHIVEEESVTDAAADCEGVPEDDLPTDQTVLPGRSSEREGN AKNCWEDDRKEGQEILGPEAQA

靶点信息

研究背景	This gene encodes a zinc finger transcription factor. The encoded protein likely plays a role in transcriptional repression of interleukin 2. Mutations in this gene have been associated with posterior polymorphous corneal dystrophy-3 and late-onset Fuchs endothelial corneal dystrophy. Alternatively spliced transcript variants encoding different isoforms have been described.
------	--

基因ID	6935
基因名	ZEB1
Swiss	P37275
别名	ZEB1;AREB6;BZP;DELTAEF1;FECD6;NIL2A;PPCD3;TCF8;ZFHEP;ZFH1A

产品验证



Western blot analysis of ZEB1 expressed in HeLa, Jurkat using ZEB1 Rabbit pAb at 1:1000. Secondary anti body: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% no n-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn