

# RPF2 Rabbit pAb

货号: **AYP14389**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Homo sapiens
应用	<a href="#">WB</a>
推荐浓度	<b>WB:</b> 1:100 - 1:500
理论分子量	35kDa
实测分子量	36KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa
细胞定位	nucleolus,nucleoplasm
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-306 of human RPF2 (N P_115570.1).
序列	MDTLDRVVPKTKRAKRFLEKREPKLNENIKNAMLIKGGNANATVTKVLKDVYALKKPYGVLYKKKNITRPFEDQTSLEFFS KKSDCSLFMFGSHNKKRPNNLVIGRMYDYHVLDMIELGIENFVSLKDIKNSKCEGTPMLIFAGDDFDVTEDYRRLKSLLI DFFRGPTVSNIRLAGLEYVLHFTALNGKIYFRSYKLLKSGCRTPRIELEEMGPSLDLVLRRTHLASDDLYKLSMKMPKALK PKKKKNISHDTFGTTYGRIHMQKQDLSKQLTRKMKGLKRRPAERITEDHEKKSRIKKN

## 靶点信息

研究背景	Involved in ribosomal large subunit assembly. May regulate the localization of the 5S RNP/5S ribonucleoprotein particle to the nucleolus.
基因ID	84154

基因名	RPF2
Swiss	Q9H7B2
别名	RPF2;BXDC1;bA397G5.4

## 产品验证



Western blot analysis of RPF2 expressed in HeLa using RPF2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)