

HEXIM1 Rabbit pAb

货号: **AYP14934**

产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: HepG2
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	40kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SW480,HepG2,293T,MCF7,HeLa,HL-60
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 210-359 of human HEXIM1 (NP_006451.1).
序列	MDDHDQEEDLKTGLYSKRAAAKSDDTSDDDFMEEGGEEEDGGSDGMGGDGSEFLQRDFSETYERYHTESLQNMSKQ ELIKEYLELEKCLSRMEDENNRLRLESKRLGGDDARVRELELELDRLRAENLQLLTENELHRQQRAPLSKFGD

靶点信息

研究背景	Expression of this gene is induced by hexamethylene-bis-acetamide in vascular smooth muscle cells. This gene has no introns.
基因ID	10614
基因名	HEXIM1

Swiss	O94992
别名	HEXIM1;CLP1;EDG1;HIS1;MAQ1

产品验证



Western blot analysis of HEXIM1 expressed in SW480, HepG2, 293T using HEXIM1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn