

— ABLYBIO, Help Your Research



EIF4E2 Rabbit pAb

货号: **AYP14950**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: HeLa
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	27kDa/28kDa
实测分子量	27KDa/28KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,K-562, Mouse liver,Rat testis
细胞定位	cytoplasm,cytosol,eukaryotic translation initiation factor 4F complex,P-body
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-240 of human EIF4E2 (NP_004837.1).
------	--

靶点信息

研究背景	Recognizes and binds the 7-methylguanosine-containing mRNA cap during an early step in the initiation. Acts as a repressor of translation initiation. In contrast to EIF4E, it is unable to bind eIF4G (EIF4G1, EIF4G2 or EIF4G3, suggesting that it acts by competing with EIF4E and block assembly of eIF4F at the cap (By s imilarity. In P-bodies, component of a complex that promotes miRNA-mediated translational repression.
基因ID	9470
基因名	EIF4E2
Swiss	O60573 (https://www.uniprot.org/uniprotkb/O60573/entry)
别名	EIF4E2,4E-LP,4EHP,EIF4EL3,IF4e,h4EHP,EIF4E2 Rabbit pAb,Eukaryotic translation initiation factor 4E homologous protein,Eukaryotic translation initiation factor 4E-like 3,eIF4E-like protein 4E-LP,mRNA cap-binding protein 4EHP,mRNA cap-binding protein type 3

产品验证



Western blot analysis of EIF4E2 expressed in HeLa, K-562, Mouse liver, Rat testis using EIF4E2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)