

cFLIP Rabbit pAb

货号: **AYP14956**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Human fibrosarcoma cells
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	23-55kDa
实测分子量	28kDa/55kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,Mouse liver,Mouse heart,Rat liver,Rat heart
细胞定位	cytoplasm,cytosol,rioptosome
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 90-240 of human cFLIP (NP_003870.4).
序列	VSDYRVLMAEIGEDLDKSDVSSLIFLMKDYMGRGKISKEKSFLLVVELEKLNLVAPDQLDLEKCLKNIHRIDLKTKIQKYKQSVQGAGTSYRNVLQAAIQKSLKDPSNNFRLHNGRSKEQRLKEQLGAQQEPVKKSIQESEAFLPQSIP

靶点信息

研究背景	The protein encoded by this gene is a regulator of apoptosis and is structurally similar to caspase-8. However, the encoded protein lacks caspase activity and appears to be itself cleaved into two peptides by caspase-8. Several transcript variants encoding different isoforms have been found for this gene, and partial evidence for several more variants exists.
基因ID	8837

基因名	CFLAR
Swiss	O15519
别名	CFLAR;CASH;CASP8AP1;CLARP;Casper;FLAME;FLAME-1;FLAME1;FLIP;I-FLICE;MRIT;c-FLIP;c-FLIPL;c-FLIPR;c-FLIPS

产品验证



Western blot analysis of cFLIP expressed in Mouse liver,Rat liver,Jurkat using cFLIP Rabbit pAb at 1:1000 . Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn