— ABLYBIO, Help Your Research

Phospho-Bcl-2-S70 Rabbit pAb

货号: AYP15040

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC ICC/IF
推荐浓度	**WB:** 1:500 - 1:2000 **IF/ICC:** 1:100 - 1:300 **IHC 1:100-1:200:**
理论分子量	22kDa/26kDa
实测分子量	28kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,293
细胞定位	Endoplasmic reticulum membrane,Mitochondrion outer membrane,Nucleus membrane,Single-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	A synthetic phosphorylated peptide around S70 of human Bcl-2 (NP_000624.2).

靶点信息

研究背景	This gene encodes an integral outer mitochondrial membrane protein that blocks the apoptotic death of s ome cells such as lymphocytes. Constitutive expression of BCL2, such as in the case of translocation of B CL2 to Ig heavy chain locus, is thought to be the cause of follicular lymphoma. Alternative splicing results in multiple transcript variants.
基因ID	596
基因名	BCL2
Swiss	P10415 (https://www.uniprot.org/uniprotkb/P10415/entry)
别名	Bcl-2,PPP1R50,BCL2,Phospho-Bcl-2-S70 Rabbit pAb

产品验证



Western blot analysis of Phospho-Bcl-2-S70 expressed in Jurkat,293 using Phospho-Bcl-2-S70 Rabbit pAb a t 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)