— ABLYBIO, Help Your Research

Phospho-HDAC8-S39 Rabbit pAb

货号: AYP15083

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	IHC IF/ICC
推荐浓度	**IHC:** 1:50 - 1:100 **IF/ICC:** 1:100 - 1:200
理论分子量	15kDa/16kDa/17kDa/28kDa/29kDa/31kDa/41kDa
实测分子量	15kDa/16kDa/17kDa/28kDa/29kDa/31kDa/41kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	C6
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

抗原信息

抗原信息	A phospho specific peptide corresponding to residues surrounding S39 of human HDAC8

靶点信息

研究背景	Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to class I of the histone deacetylase family. It catalyzes the deacetylation of lysine residues in the histone N-terminal tails and represses transcription in large multiprotein complexes with transcriptional co-repressors. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	55869
基因名	HDAC8
Swiss	Q9BY41 (https://www.uniprot.org/uniprotkb/Q9BY41/entry)
别名	HDAC8,CDA07,CDLS5,HD8,HDACL1,MRXS6,RPD3,WTS,Phospho-HDAC8-S39 Rabbit pAb,Protein deacetylase HDAC8,Protein decrotonylase HDAC8

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)