

— ABLYBIO, Help Your Research



NDUFAF1 Rabbit pAb

货号: **AYP15110**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	37kDa
实测分子量	38kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,293T,A-549,Mouse heart,Rat liver
细胞定位	Mitochondrion
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-327 of human NDUFAF1 (NP_057097.2).
------	---

靶点信息

研究背景	This gene encodes a complex I assembly factor protein. Complex I (NADH-ubiquinone oxidoreductase) catalyzes the transfer of electrons from NADH to ubiquinone (coenzyme Q) in the first step of the mitochondrial respiratory chain, resulting in the translocation of protons across the inner mitochondrial membrane. The encoded protein is required for assembly of complex I, and mutations in this gene are a cause of mitochondrial complex I deficiency. Alternatively spliced transcript variants have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 19.
基因ID	51103
基因名	NDUFAF1
Swiss	Q9Y375 (https://www.uniprot.org/uniprotkb/Q9Y375/entry)
别名	NDUFAF1,CGI-65,CGI65,CIA30,NDUFAF1 Rabbit pAb,NADH dehydrogenase [ubiquinone] 1 alpha subcomplex assembly factor 1

产品验证



Western blot analysis of NDUFAF1 expressed in Mouse heart,Rat liver,HeLa using NDUFAF1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)