

# MVB12A Rabbit pAb

货号: **AYP15118**

## 产品信息

反应	Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	24kDa/27kDa/28kDa
实测分子量	29kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Rat pancreas
细胞定位	Cytoplasm, Endosome, Late endosome membrane, Nucleus, Peripheral membrane protein, centrosome, cytoskeleton, microtubule organizing center
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-273 of human MVB12A (NP_612410.1).
序列	MDPVPGTDSAPLAGLAWSSASAPPPRGFSAISCTVEGAPASFGKSFAQKSGYFCLSSLGSLLENPQENVVADIQIVVDKSP LPLGFSPVCDPMSKASVSKKKRMCVKLLPLGATDTAVFDVRLSGKTKTPGYLRIGDMGGFAIWCKKAKAPRPVVKPRG LSRDMQGLSLDAASQPSKGGLLERTASRLGSRASTLRRNDSIYEASSLYGISAMDGVPFTLHPRFEGKSCSPLAFSAFGDL TIKSLADIEEYNYGFVVEKTAARLPPSVS

## 靶点信息

研究背景	Component of the ESCRT-I complex, a regulator of vesicular trafficking process. Required for the sorting of endocytic ubiquitinated cargos into multivesicular bodies. May be involved in the ligand-mediated internalization and down-regulation of EGF receptor.
------	--

基因ID	93343
基因名	MVB12A
Swiss	Q96EY5
别名	MVB12A;CFBP;FAM125A

## 产品验证



Western blot analysis of MVB12A expressed in Rat pancreas using MVB12A Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)