

STAP2 Rabbit pAb

货号: **AYP15123**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	44kDa/49kDa
实测分子量	44kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse heart,HT-29
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 130-220 of human STAP 2 (NP_001013863).
序列	GHLYMMSEVLAKKEARRALETPSCFLKVSRLAQLLLERYPECGNLLLRPSGDGADGVSVTTRQMHNHNGTHVVRHYKVKRE GPKYVIDVEQP

靶点信息

研究背景	This gene encodes the substrate of breast tumor kinase, an Src-type non-receptor tyrosine kinase. The encoded protein possesses domains and several tyrosine phosphorylation sites characteristic of adaptor proteins that mediate the interactions linking proteins involved in signal transduction pathways. Alternative splicing results in multiple transcript variants.
基因ID	55620

基因名	STAP2
Swiss	Q9UGK3
别名	STAP2;BKS

产品验证



Western blot analysis of STAP2 expressed in Mouse heart, HT-29 using STAP2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn