

SPINT1 Rabbit pAb

货号: **AYP15232**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:100
理论分子量	56kDa/58kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse liver,Rat brain
细胞定位	Secreted
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 234-513 of human SPIN T1 (NP_003701.1).
序列	ANVTVTVLSTKQTEDYCLASNKVGRCRGSFPRWYDPTREQICKSFVYGGCLGNKNNYLREEECILACRGVQGPSMERRHP VCSGTCQPTQFRCSNGCCIDSFLECDTPNCPDASDEAAACEKYTSGFDELQRIHFPSDKGHCVLDLPDTGLCKESIPRWYY NPFSEHCARFTYGGCYGNKNNFEEEQCLESCRGISKDVFGLRREIPISTGSEMAVAVFLVICIVVVVAILGYCFFKNQR KDFHGHHPPTPASSTVSTTEDTEHLVYNHTRPL

靶点信息

研究背景	The protein encoded by this gene is a member of the Kunitz family of serine protease inhibitors. The protein is a potent inhibitor specific for HGF activator and is thought to be involved in the regulation of the proteolytic activation of HGF in injured tissues. Alternative splicing results in multiple variants encoding different isoforms.
------	---

基因ID	6692
基因名	SPINT1
Swiss	O43278
别名	SPINT1;HAI;HAI1;MANSC2

产品验证



Western blot analysis of SPINT1 expressed in Mouse liver,Rat brain using SPINT1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn