

SUB1 Rabbit pAb

货号: **AYP15273**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC IP
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:100 IP: 1:20 - 1:50
理论分子量	14kDa
实测分子量	17kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HL-60,BT-474,SW620,Jurkat,Mouse brain
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-127 of human SUB1 (NP_006704.3).
序列	MPKSKELVSSSSSGSDSDSEVDKLLKRRKKQVAPEKPVKKQKTGETSRALSSSKQSSSRDDNMFQIGKMRYVSVRDFKG KVLIDIREYWMDPEGEMKPRKGISLNPEQWSQLKEQISDIDDAVRKL

靶点信息

研究背景	General coactivator that functions cooperatively with TAFs and mediates functional interactions between upstream activators and the general transcriptional machinery. May be involved in stabilizing the multiprotein transcription complex. Binds single-stranded DNA. Also binds, in vitro, non-specifically to double-stranded DNA (ds DNA).
------	--

基因ID	10923
基因名	SUB1
Swiss	P53999
别名	SUB1;P15;PC4;p14;SUB1 homolog

产品验证



Western blot analysis of SUB1 expressed in Mouse brain,HL-60,BT-474 using SUB1 Rabbit pAb at 1:1000 . Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn