

— ABLYBIO, Help Your Research



TRIM32 Rabbit pAb

货号: **AYP15275**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:100 - 1:500
理论分子量	71kDa
实测分子量	75kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Mouse testis,mouse brain,rat testis,rat brain
细胞定位	Cytoplasm
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-280 of human TRIM32 (NP_036342.2).
------	--

靶点信息

研究背景	The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. The protein localizes to cytoplasmic bodies. The protein has also been localized to the nucleus, where it interacts with the activation domain of the HIV-1 Tat protein. The Tat protein activates transcription of HIV-1 genes.
基因ID	22954
基因名	TRIM32
Swiss	Q13049 (https://www.uniprot.org/uniprotkb/Q13049/entry)
别名	TRIM32,BBS11,HT2A,LGMD2H,TATIP,TRIM32 Rabbit pAb,72 kDa Tat-interacting protein,RING-type E3 ubiquitin transferase TRIM32,Tripartite motif-containing protein 32,Zinc finger protein HT2A

产品验证



Western blot analysis of TRIM32 expressed in Mouse testis, rat testis, HeLa using TRIM32 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)