

— ABLYBIO, Help Your Research



NGFRAP1 Rabbit pAb

货号: **AYP15284**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:100
理论分子量	11kDa/12kDa
实测分子量	24kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BT-474,MCF7,Mouse liver
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-111 of human NGFRA P1 (NP_996798.1).
------	--

靶点信息

研究背景	May be a signaling adapter molecule involved in p75NTR-mediated apoptosis induced by NGF. Plays a role in zinc-triggered neuronal death (By similarity. May play an important role in the pathogenesis of neuro genetic diseases.
基因ID	27018
基因名	BEX3
Swiss	Q00994 (https://www.uniprot.org/uniprotkb/Q00994/entry)
别名	BEX3,Bex,DXS6984E,HGR74,NADE,NGFRAP1,NGFRAP1 Rabbit pAb,Brain-expressed X-linked protein 3,Nerve growth factor receptor-associated protein 1,Ovarian granulosa cell 13.0 kDa protein HGR74,p75NTR-associated cell death executor

产品验证



Western blot analysis of NGFRAP1 expressed in BT-474, MCF7, Mouse liver using NGFRAP1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)