

PLCXD2 Rabbit pAb

货号: **AYP15295**

产品信息

| | |
|-------|--|
| 反应 | Human,Mouse,Rat |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB IF/ICC |
| 推荐浓度 | WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200 |
| 理论分子量 | 34kDa |
| 实测分子量 | 30kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | NIH/3T3,SH-SY5Y,U-251MG,Mouse liver,Mouse brain,Mouse pancreas,Mouse eye,Rat liver |
| 细胞定位 | nucleus |
| 纯化 | Affinity purification |

抗原信息


| | |
|------|--|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 1-305 of human PLCXD2 (NP_001172035.1). |
| 序列 | MLAVRKARRKLRMGTCSPNPSGKTTSSEVCNADWMASLPPHLHNLPLSNLAIPGSHDSFSYWVDEKSPVGPDQTQAIKRLARISLVKMKLKKWSVTQNLTFREQLEAGIRYFDLRVSSKPGDADQEIYFIHGLFGIKVWDGLMEIDSFLTQHPQEIIFLDFNHFYAMDETHHKCLVLRIQEAFGNKLCPCSVESLTLRLTLWEKNCQVLIFYHCPFYKQYPFLWPGKKIPAWANTTSVRKLILFLETTLSERASRGSFHVSQAILTPRVKTIARGLVGGKNTLVHSNRWNSHGPSLLSQERS |

靶点信息

| | |
|------|---|
| 研究背景 | Predicted to enable phosphoric diester hydrolase activity. Predicted to be involved in lipid catabolic process and signal transduction. Predicted to be located in nucleus. |
| 基因ID | 257068 |

| | |
|-------|--------|
| 基因名 | PLCXD2 |
| Swiss | Q0VAA5 |
| 别名 | PLCXD2 |

产品验证



Western blot analysis of PLCXD2 expressed in Mouse liver,Rat liver,NIH/3T3 using PLCXD2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn