

ZC3H14 Rabbit pAb

货号: AYP15357

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	32-34kDa/61-66kDa/80-82kDa
实测分子量	105kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,A-549,HT-1080,293T
细胞定位	Cytoplasm,Nucleus speckle
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-306 of human ZC3H14 (NP_997545.2).
序列	MRMSSKFPSPPLPIFLPPEPVDLGSITSSSSCSLNELDNISHLLRKISADINEIKGMKAAILTVEANLFDLNVRSKNEAKISSLEVKMNEYSTTYECNRQFEDQEEDTESQSRITTDVKIIGFLRNVEKGTQQRQLLSRLQIDPVMMAETLQMSQAEMSELSVAQKPEKLLERCKYWPACKNGDECAYHHPISPKAFPNCFAEKCLFVHPNCKYDAKCTKPDCPFTHVSRRIPLVSPKPVAPPAPSSSQLCRYFPACKKMECPFYHPKHCRFNTQCTRPDCTFYHPTINVPPRHALKWIRPQTSE

靶点信息

研究背景	The protein encoded by this gene is a poly(A)-binding protein that can affect gene expression and poly(A) tail length. The encoded protein may influence mRNA stability, nuclear export, and translation.
基因ID	79882

基因名	ZC3H14
Swiss	Q6PJT7
别名	ZC3H14;MRT56;MSUT-2;NY-REN-37;SUT2;UKp68

产品验证



Western blot analysis of ZC3H14 expressed in MCF7,A-549,HT-1080 using ZC3H14 Rabbit pAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. B locking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn