— ABLYBIO, Help Your Research

Phospho-Stathmin 1-S38 Rabbit pAb

货号: AYP15368

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	**WB:** 1:500 - 1:2000
理论分子量	17kDa/19kDa
实测分子量	19KDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	NIH/3T3
细胞定位	Cytoplasm,cytoskeleton
纯化	Affinity purification


抗原信息

抗原信息	A synthetic phosphorylated peptide around S38 of human Stathmin 1 (NP_001138926.1).

靶点信息

研究背景	This gene belongs to the stathmin family of genes. It encodes a ubiquitous cytosolic phosphoprotein proposed to function as an intracellular relay integrating regulatory signals of the cellular environment. The encoded protein is involved in the regulation of the microtubule filament system by destabilizing microtubules. It prevents assembly and promotes disassembly of microtubules. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	3925
基因名	STMN1
Swiss	P16949 (https://www.uniprot.org/uniprotkb/P16949/entry)
别名	STMN1,C1orf215,LAP18,Lag,OP18,PP17,PP19,PR22,SMN,stathmin,Phospho-Stathmin 1-S38 Rabbit pAb,Leukemia-associated phosphoprotein p18,Metablastin,Oncoprotein 18,Phosphoprotein p19,Prosolin,Protein Pr22

产品验证



Western blot analysis of Phospho-Stathmin 1-S38 expressed in NIH/3T3 using Phospho-Stathmin 1-S38 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120 s.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)