

— ABLYBIO, Help Your Research



SLC12A5 Rabbit pAb

货号: **AYP15404**

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	123kDa/126kDa
实测分子量	135kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain
细胞定位	Membrane, Multi-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 945-1025 of human SLC 12A5 (NP_001128243.1).
------	----------------------------------------------------------------------------------------------------------------------------

靶点信息

研究背景	K-Cl cotransporters are proteins that lower intracellular chloride concentrations below the electrochemical equilibrium potential. The protein encoded by this gene is an integral membrane K-Cl cotransporter that can function in either a net efflux or influx pathway, depending on the chemical concentration gradients of potassium and chloride. The encoded protein can act as a homomultimer, or as a heteromultimer with other K-Cl cotransporters, to maintain chloride homeostasis in neurons. Alternative splicing results in two transcript variants encoding different isoforms.
基因ID	57468
基因名	SLC12A5
Swiss	Q9H2X9 (https://www.uniprot.org/uniprotkb/Q9H2X9/entry)
别名	SLC12A5,EIEE34,EIG14,KCC2,hKCC2,SLC12A5 Rabbit pAb,Electroneutral potassium-chloride cotransporter 2,K-Cl cotransporter 2,Neuronal K-Cl cotransporter,KIAA1176

产品验证



Western blot analysis of SLC12A5 expressed in Mouse brain using SLC12A5 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)