

— ABLYBIO, Help Your Research



Annexin A4/Annexin IV Rabbit pAb

货号: **AYP15532**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	27kDa/35kDa
实测分子量	36kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse liver,Mouse kidney
细胞定位	cell surface,cytoplasm,cytoplasmic vesicle,extracellular exosome,nuclear membrane,nucleus,perinuclear region of cytoplasm,plasma membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 112-321 of human Annexin A4/Annexin IV (NP_001144.1).
------	---

靶点信息

研究背景	Annexin IV (ANX4) belongs to the annexin family of calcium-dependent phospholipid binding proteins. Although their functions are still not clearly defined, several members of the annexin family have been implicated in membrane-related events along exocytotic and endocytotic pathways. ANX4 has 45 to 59% identity with other members of its family and shares a similar size and exon-intron organization. Isolated from human placenta, ANX4 encodes a protein that has possible interactions with ATP, and has in vitro anticoagulant activity and also inhibits phospholipase A2 activity. ANX4 is almost exclusively expressed in epithelial cells. Several transcript variants encoding different isoforms have been found for this gene.
基因ID	307
基因名	ANXA4
Swiss	P09525 (https://www.uniprot.org/uniprotkb/P09525/entry)
别名	ANXA4,ANX4,HEL-S-274,P32.5,PAP-II,PIG28,PP4-X,ZAP36,Annexin A4/Annexin IV Rabbit pAb,35-beta calcium,Annexin IV,Annexin-4,Carbohydrate-binding protein p33/p41,Chromobindin-4,Endonexin I,Lipocortin IV,Placental anticoagulant protein II,Protein II

产品验证



Western blot analysis of Annexin A4/Annexin IV expressed in Mouse liver, Mouse kidney using Annexin A4/Annexin IV Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)