

CD40L Rabbit pAb

货号: **AYP15563**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	29kDa
实测分子量	25-30KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Mouse thymus
细胞定位	Cell membrane,Secreted,Single-pass type II membrane protein
纯化	Affinity purification

抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 79-129 of human CD40L (NP_000065.1).
序列	LSSLNCEEIKSQFEGFVKDIMLNKEETKKENSFEMQKGDQNPQIAAHVISE

靶点信息

研究背景	The protein encoded by this gene is expressed on the surface of T cells. It regulates B cell function by engaging CD40 on the B cell surface. A defect in this gene results in an inability to undergo immunoglobulin c lass switch and is associated with hyper-IgM syndrome.
基因ID	959

基因名	CD40LG
Swiss	P29965
别名	CD154;CD40L;HIGM1;IGM;IMD3;T-BAM;TNFSF5;TRAP;gp39;hCD40L;CD40LG

产品验证



Western blot analysis of CD40L expressed in HeLa, Mouse thymus using CD40L Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn