

# HIP1R Rabbit pAb

货号: **AYP15603**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	70kDa/119kDa
实测分子量	130kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,293T,HeLa,Mouse brain,Mouse spleen,Mouse liver,Rat brain
细胞定位	Cytoplasm,Cytoplasmic vesicle,Endomembrane system,clathrin-coated vesicle membrane,perinuclear region
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 300-600 of human HIP1R (NP_003950.1).
序列	KPVVVIPEEAPEDDEEPENLIEISTGPPAGEPVVADLFDQTFGPPNGSVKDDRDLDLQIESLKREVEMLRSELEKIKLEAQRYIAQLKSQVNALEGELEEQRKQKQKALVDNEQLRHQLRAAQLEGGERSQGLREEAERKASATEARYNKLKEKHSSELVHVHAE LLRKNADTAKQLTVTQSQEEVARVKEQLAFQVEQVKRESELKLEEKSDQLEKLRLEAKAGELARAQEALSHTEQSKSE LSSRLDTLSAEKDALSGAVRQREADLLAAQSLVRETEAALSREQQRSSQEQQGELQG

## 靶点信息

研究背景	Component of clathrin-coated pits and vesicles, that may link the endocytic machinery to the actin cytoskeleton. Binds 3-phosphoinositides (via ENTH domain). May act through the ENTH domain to promote cell survival by stabilizing receptor tyrosine kinases following ligand-induced endocytosis.
------	---

基因ID	9026
基因名	HIP1R
Swiss	O75146
别名	HIP1R;HIP12;HIP3;ILWEQ

## 产品验证



Western blot analysis of HIP1R expressed in Mouse brain,Rat brain,U-87MG using HIP1R Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)