

BAF60a Rabbit pAb

货号: **AYP15698**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	58kDa
实测分子量	58kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SH-SY5Y,293T,HepG2,BT-474,K-562,Mouse brain,Rat testis
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-120 of mouse BAF60a (NP_114030.2).
序列	MAARAGFQSVAPSGGAGASGGAGVAAALGPGGTPGPPVRMGPAPGQGLYRSPMPGAAYPRPGMLPGSRMTPQGPSM GPPGYGGNPSVRPGLAQSGMDQSRKRPAPQIQVQQQAVQNRN

靶点信息

研究背景	The protein encoded by this gene is a member of the SWI/SNF family of proteins, whose members display helicase and ATPase activities and which are thought to regulate transcription of certain genes by altering the chromatin structure around those genes. The encoded protein is part of the large ATP-dependent chromatin remodeling complex SNF/SWI and contains a predicted leucine zipper motif typical of many transcription factors.
------	--

基因ID	83797
基因名	
Swiss	Q96GM5
别名	CRACC1;Rsc8;SRG3;SWI3;SWI/SNF complex subunit SMARCC1;BAF60a;SMARCD1

产品验证



Western blot analysis of BAF60a expressed in Mouse brain,Rat testis,SH-SY5Y using BAF60a Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn