

NFYC Rabbit pAb

货号: **AYP15741**

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:100 - 1:500
理论分子量	32kDa/33kDa/37kDa/39kDa/48kDa/50kDa
实测分子量	50KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Rat thymus
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 86-335 of human NFYC (NP_055038.2).
序列	IHTEDNKRRTLQRNDIAMAITKFDQDFLIDIVPRDELKPPKRQEVRQSVTPAEPVQYYFTLAQQPTAVQVQGQQGQQQT TSSTTTIQPGQIIIAQPQQGQTPVTMQVGEQQVQIVQAQPQQAQAQSGTGQTMQVMQIITNTGEIQQIPVQLNA GQLQYIRLAQPVSGTQVVQGQIQTLATNAQQITQTEVQQGQQQFSQFTDGGQLYQIQVTMPAGQDLAQPMFIQSANQ PSDGQAPQVTGD

靶点信息

研究背景	This gene encodes one subunit of a trimeric complex forming a highly conserved transcription factor that binds with high specificity to CCAAT motifs in the promoters of a variety of genes. The encoded protein, subunit C, forms a tight dimer with the B subunit, a prerequisite for subunit A association. The resulting trimer binds to DNA with high specificity and affinity. Subunits B and C each contain a histone-like motif. Multiple transcript variants encoding different isoforms have been found for this gene.
------	--

基因ID	4802
基因名	NFYC
Swiss	Q13952
别名	NFYC;CBF-C;CBFC;H1TF2A;HAP5;HSM;NF-YC

产品验证



Western blot analysis of NFYC expressed in Rat thymus using NFYC Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn