

LSR Rabbit pAb

货号: **AYP15811**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	54kDa/64kDa/65kDa/69kDa/71kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,BT-474,Mouse brain,Rat kidney,Rat liver
细胞定位	Cell membrane,Single-pass membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 50-240 of human LSR (N P_057009.3).
序列	ALLAGGLSRGLGSHPAAGRDVAVFVWLLSTWCTAPARAIQVTVSNPYHVILFQPVTLPCTYQMTSTPTQPIVIWKYSF CRDRIADAFSPASVDNQLNAQLAAGNPGYNPYVEQCDSVRTVRVVKQGNVATLGDYYQGRRITITGNADLTFDQTAW GDSGVYYCSVSAQDLQGNNEAYAEIVLD

靶点信息

研究背景	Probable role in the clearance of triglyceride-rich lipoprotein from blood. Binds chylomicrons, LDL and VLDL in presence of free fatty acids and allows their subsequent uptake in the cells (By similarity).
基因ID	51599

基因名	LSR
Swiss	Q86X29
别名	LSR;ILDR3;LISCH7

产品验证



Western blot analysis of LSR expressed in Mouse brain,Rat kidney,293T using LSR Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn