

EBNA1BP2 Rabbit pAb

货号: **AYP15835**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:1000 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	34kDa
实测分子量	40KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-431
细胞定位	Nucleus,nucleolus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-306 of human EBNA1 BP2 (NP_006815.2).
序列	MDTPPLSDSESESDSLVTDRELQDAFSRGLLKPGLNVVLEGPKKAVNDVNLKQCLAEFKRDLEWVERLDVTLGVPVEI GGSEAPAPQNKDQKAVDPEDDFQREMSFYRQAQAAVLAVLPRHLQLKVPTKRPTDYFAEMAKSDLQMQRKQLQTKQ AAMERSEKAKQLRALRKYGKKVQTEVLQKRQEKAHMMNAIKKYQKGFSDKLDLFLEGDQKPLAQRKKAGAKGQQMRK GPSAKRRYKNQKFGFGGKKKGSKWNTRESYDDVSSFRAKTAHGRGLKRPGGKGSNKRPGKRTREKMKNRTH

靶点信息

研究背景	Required for the processing of the 27S pre-rRNA.
基因ID	10969

基因名	EBNA1BP2
Swiss	Q99848
别名	EBNA1BP2;EBP2;NOBP;P40

产品验证



Western blot analysis of EBNA1BP2 expressed in A-431 using EBNA1BP2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn