

— ABLYBIO, Help Your Research



NAGK Rabbit pAb

货号: **AYP15852**

产品信息

| | |
|-------|--|
| 反应 | Human,Mouse,Rat |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:2000 |
| 理论分子量 | 37kDa/42kDa |
| 实测分子量 | 37kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | 293T,A-431,Jurkat,SW480,Mouse brain,Mouse kidney,Rat kidney |
| 细胞定位 | cytosol,extracellular exosome |
| 纯化 | Affinity purification |


抗原信息

| | |
|------|---|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 50-210 of human NAGK (NP_060037.3). |
|------|---|

靶点信息

| | |
|-------|--|
| 研究背景 | This gene encodes a member of the N-acetylhexosamine kinase family. The encoded protein catalyzes the conversion of N-acetyl-D-glucosamine to N-acetyl-D-glucosamine 6-phosphate, and is the major mammalian enzyme which recovers amino sugars. |
| 基因ID | 55577 |
| 基因名 | NAGK |
| Swiss | Q9UJ70 (https://www.uniprot.org/uniprotkb/Q9UJ70/entry) |
| 别名 | NAGK,GNK,HSA242910,NAGK Rabbit pAb,GlcNAc kinase,Muramyl dipeptide kinase,N-acetyl-D-mannosamine kinase |

产品验证



Western blot analysis of NAGK expressed in Mouse brain,Rat kidney,293T using NAGK Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)