

CEP83 Rabbit pAb

货号: **AYP15966**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	67kDa/82kDa
实测分子量	82kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-29,Mouse lung,Mouse spleen,Mouse thymus
细胞定位	Cytoplasm,centriole,centrosome,cytoskeleton,microtubule organizing center
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 34-260 of human CEP83 (NP_057206.2).
序列	MLIDERLRCEHHKANYQTLKAEHTRLQNEHVKLQNELKHLFNEKQTQQEKLQLLLEELRGELVEKTKDLEEMKLQILTPQKL ELLRAQIQQELETMPMRERFRNLDEEVEKYRAVYNKLRYEHTFLKSEFEHQKEEYARILDEGKIKYESEIARLEEDKEELRNQLL NVDLTKDSKRVEQLAREKVYLCQKLGLEAEVAELKAEKENSEAQVENAQRIQVRQLAEMQ

靶点信息

研究背景	The protein encoded by this gene is a centriolar protein involved in primary cilium assembly. Defects in th is gene have been associated with infantile nephronophthisis and intellectual disability.
基因ID	51134

基因名	CEP83
Swiss	Q9Y592
别名	CEP83;CCDC41;NPHP18;NY-REN-58

产品验证



Western blot analysis of CEP83 expressed in Mouse lung, HT-29, Mouse spleen using CEP83 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn