

# TGFB1I1 Rabbit pAb

货号: **AYP15982**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:1000
理论分子量	47kDa/49kDa
实测分子量	50KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Mouse lung,Rat lung
细胞定位	Cell junction,Cytoplasm,Nucleus matrix,cytoskeleton,focal adhesion
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 120-220 of human TGFB1I1 (NP_001035919.1).
序列	VASGEQKEDQSEDKKRPSLPSSPSPGLPKASATSATLELDRLMASLSDFRVQNHLPASGPTQPPVVSSTNEGSPSPPEPTGKGLDTMLGLLQSDLSRRGV

## 靶点信息

研究背景	This gene encodes a coactivator of the androgen receptor, a transcription factor which is activated by an androgen and has a key role in male sexual differentiation. The encoded protein is thought to regulate androgen receptor activity and may have a role to play in the treatment of prostate cancer. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	7041

基因名	TGFB111
Swiss	O43294
别名	TGFB111;ARA55;HIC-5;HIC5;TSC-5

## 产品验证



Western blot analysis of TGFB111 expressed in HeLa, Mouse lung, Rat lung using TGFB111 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)