

# IFNL1 Rabbit pAb

货号: **AYP16047**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:100 - 1:200
理论分子量	21kDa
实测分子量	22kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,Jurkat
细胞定位	Secreted
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 20-200 of human IFNL1 (NP_742152.1).
序列	GPVPTSKPTTTGKGCHIGRFKLSLPQELASFKKARDALEESLKLKNWSCSSPVFPGNWDLRLLQVRERPVALEAELATLK VLEAAAGPALEDVLDQPLHTLHHILSQLQACIQPQPTAGPRPRGRLLHHLHRLQEAPKKESAGCLEASVTFNLFRLLRDLK YVADGNLCLRTSTHPEST

## 靶点信息

研究背景	This gene encodes a cytokine distantly related to type I interferons and the IL-10 family. This gene, interleukin 28A (IL28A), and interleukin 28B (IL28B) are three closely related cytokine genes that form a cytokine gene cluster on a chromosomal region mapped to 19q13. Expression of the cytokines encoded by the three genes can be induced by viral infection. All three cytokines have been shown to interact with a heterodimeric class II cytokine receptor that consists of interleukin 10 receptor, beta (IL10RB) and interleukin 28 receptor, alpha (IL28RA).
------	---

基因ID	282618
基因名	IFNL1
Swiss	Q8IU54
别名	IFNL1;IL-29;IL29

## 产品验证



Western blot analysis of IFNL1 expressed in 293T, Jurkat using IFNL1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)