

# SLC27A6 Rabbit pAb

货号: **AYP16064**

## 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	70kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,293T,Mouse heart,Mouse lung
细胞定位	Cell membrane,Membrane,Multi-pass membrane protein,sarcolemma
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 370-619 of human SLC27A6 (NP_054750.1).
序列	FMNYTGRIGAIGRTNLFYKLLSTFDLIKDFQKDEPMRNEQGWCIHVKKGEPGLLISRVAKNPFFGYAGPYKHTKDKLLC DVFKKGDVYLNTGDLIVQDQDNFLYFWDRTGDTFRWKGENVATTEVADVIGMLDFIQEANVYGVAISGYEGRAGMASIIL KPNTSLDLEKVYEQVVTFLPAYACPRFLRIQEKMEATGTFKLLKHQLVEDGFNPLKISEPLYFMDNLKKSIVLLTRELYDQIM LGEIKL

## 靶点信息

研究背景	This gene encodes a member of the fatty acid transport protein family (FATP). FATPs are involved in the uptake of long-chain fatty acids and have unique expression patterns. Alternatively spliced transcript variants encoding the same protein have been found for this gene.
基因ID	28965

基因名	SLC27A6
Swiss	Q9Y2P4
别名	SLC27A6;ACSVL2;FACVL2;FATP6;VLCS-H1

## 产品验证



Western blot analysis of SLC27A6 expressed in Mouse heart, MCF7, 293T using SLC27A6 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)