

— ABLYBIO, Help Your Research



MED24 Rabbit pAb

货号: **AYP16098**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	108kDa/110kDa
实测分子量	110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BT-474,Jurkat,Mouse brain,Mouse testis,Rat brain
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-160 of human MED24 (NP_055630.2).
------	---

靶点信息

研究背景	This gene encodes a component of the mediator complex (also known as TRAP, SMCC, DRIP, or ARC), a transcriptional coactivator complex thought to be required for the expression of almost all genes. The mediator complex is recruited by transcriptional activators or nuclear receptors to induce gene expression, possibly by interacting with RNA polymerase II and promoting the formation of a transcriptional pre-initiation complex. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	9862
基因名	MED24
Swiss	O75448 (https://www.uniprot.org/uniprotkb/O75448/entry)
别名	MED24,ARC100,CRSP100,CRSP4,DRIP100,MED5,THRAP4,TRAP100,MED24 Rabbit pAb,Activator-recruited cofactor 100 kDa component,Cofactor required for Sp1 transcriptional activation subunit 4,Mediator complex subunit 24,Thyroid hormone receptor-associated protein 4

产品验证



Western blot analysis of MED24 expressed in Mouse brain,Rat brain,BT-474 using MED24 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)