

TERF2IP Rabbit pAb

货号: **AYP16131**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IF/ICC: 1:50 - 1:200
理论分子量	44kDa
实测分子量	58KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,SW620,HeLa,Mouse brain,Mouse kidney
细胞定位	Chromosome,Cytoplasm,Nucleus,telomere
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-280 of human TERF2IP (NP_061848.2).
序列	MAEAMDLGKDPNGPTSSSTLFVRDDGSSMSFYVRPSPAKRRLSTLILHGGGTVCRVQEPGAVLLAQPGEALAEASGDFISTQYILDCVERNERLEAYRLGPASAADTGSEAKPGALAEGAAEPEPQRHAGRIAFDADDVAILTYVKENARSPSSVTGNA LWKAMEKSSLTQHSWQSLKDRYLKHLRGQEHKYLGDAPVSPSSQKLKRKAEDPEAADS GEPQNKRT PDLPEEEYVKE EIQENEEAVKKMLVEATREFEEVVVDESPPDFEIHITMC

靶点信息

研究背景	The gene encodes a protein that is part of a complex involved in telomere length regulation. Pseudogenes are present on chromosomes 5 and 22.
基因ID	54386

基因名	TERF2IP
Swiss	Q9NYB0
别名	TERF2IP;DRIP5;RAP1

产品验证



Western blot analysis of TERF2IP expressed in Mouse brain, MCF7, SW620 using TERF2IP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn