

DIRAS3 Rabbit pAb

货号: **AYP16147**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	25kDa
实测分子量	30kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	NIH/3T3,Mouse liver,Mouse kidney,Rat liver
细胞定位	Cell membrane,Cytoplasmic side,Lipid-anchor
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-229 of human DIRAS3 (NP_004666.1).
序列	MGNASFGSKEQKLLKRLRLLPALLILRAFKPHRKIRDYRWWWVGTAGVKGSTLLHKWASGNFRHEYLPTIENTYCQLLGCSH GVLSLHITDSKSGDGNRALQRHVIARGHAFVLVYSVTKKETLEELKAFYELICKIKGNNLHKFPIVLVGNKSDDTHREVALN DGATCAMEWNCAFMEISAKTDVNVQELFHMLLNYYKKPTTGLQEPEKKSQMPNTTEKLLDKCIIM

靶点信息

研究背景	This gene encodes a member of the ras superfamily. This gene is imprinted gene with monoallelic expression of the paternal allele which is associated with growth suppression. The encoded protein acts as a tumor suppressor whose function is abrogated in many ovarian and breast cancers. This protein may also play a role autophagy in certain cancer cells by regulating the autophagosome initiation complex.
基因ID	9077

基因名	DIRAS3
Swiss	O95661
别名	DIRAS3;ARHI;NOEY2

产品验证



Western blot analysis of DIRAS3 expressed in Mouse liver, Rat liver, NIH/3T3 using DIRAS3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn