

— ABLYBIO, Help Your Research



STARD3 Rabbit pAb

货号: **AYP16209**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	48kDa/49kDa/50kDa
实测分子量	45kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,SKOV3,MCF7,A-549,Mouse lung,Mouse brain,Mouse heart,Rat brain
细胞定位	Late endosome membrane,Multi-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 170-445 of human STAR D3 (NP_006795.3).
------	---

靶点信息

研究背景	This gene encodes a member of a subfamily of lipid trafficking proteins that are characterized by a C-terminal steroidal acute regulatory domain and an N-terminal metastatic lymph node 64 domain. The encoded protein localizes to the membranes of late endosomes and may be involved in exporting cholesterol. Alternative splicing results in multiple transcript variants.
基因ID	10948
基因名	STARD3
Swiss	Q14849 (https://www.uniprot.org/uniprotkb/Q14849/entry)
别名	STARD3,CAB1,MLN64,es64,STARD3 Rabbit pAb,Metastatic lymph node gene 64 protein,Protein CAB1,STAR domain-containing protein 3

产品验证



Western blot analysis of STARD3 expressed in Mouse lung,Rat brain,Jurkat using STARD3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)