

— ABLYBIO, Help Your Research



TFAP2C Rabbit pAb

货号: **AYP16224**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	31kDa/49kDa
实测分子量	49kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Mouse lung,Rat lung
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	A synthetic peptide corresponding to a sequence within amino acids 350-450 of human TFAP2C (NP_003213.1).
------	---

靶点信息

研究背景	The protein encoded by this gene is a sequence-specific DNA-binding transcription factor involved in the activation of several developmental genes. The encoded protein can act as either a homodimer or hetero dimer with other family members and is induced during retinoic acid-mediated differentiation. It plays a role in the development of the eyes, face, body wall, limbs, and neural tube.
基因ID	7022
基因名	TFAP2C
Swiss	Q92754 (https://www.uniprot.org/uniprotkb/Q92754/entry)
别名	TFAP2C,AP2-GAMMA,ERF1,TFAP2G,hAP-2g,TFAP2C Rabbit pAb,Activating enhancer-binding protein 2 gamma,Transcription factor ERF-1

产品验证



Western blot analysis of TFAP2C expressed in HeLa, Mouse lung, Rat lung using TFAP2C Rabbit pAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)