

INPP4A Rabbit pAb

货号: **AYP16237**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	105kDa/107kDa/109kDa
实测分子量	100kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,MCF7,293T,Mouse testis,Mouse skeletal muscle,Rat skeletal muscle
细胞定位	cytoplasm,cytosol,nuclear membrane,nucleoplasm,nucleus,plasma membrane
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-250 of human INPP4A (NP_004018.1).
序列	MTAREHSPRHGARARAMQRASTIDVAADMLGLSLAGNIQDPDEPILEFSLACSELHTPSLDRKPNFVAVSVTTPPQAFW TKHAQTEIIEGTNNPIFLSSIAFFQDSLINQMTQVKLSVYDVKDRSQGTMYLLGSGTFIVKDLLQDRHHRLHLTLRSAESDR VGNITVIGWQMEEKSDQRPPVTRSVDTVNGRMVLVDESLEALGIRSKYASLRKDTLLKSVFGGAICRMYRFPTTDGNH LRILEQMA

靶点信息

研究背景	This gene encodes an Mg ⁺⁺ independent enzyme that hydrolyzes the 4-position phosphate from the inositol ring of phosphatidylinositol 3,4-bisphosphate, inositol 1,3,4-trisphosphate, and inositol 3,4-bisphosphate. Multiple transcript variants encoding distinct isoforms have been described.
基因ID	3631

基因名	INPP4A
Swiss	Q96PE3
别名	INPP4A;INPP4;TVAS1

产品验证



Western blot analysis of INPP4A expressed in Mouse testis,Rat skeletal muscle,Jurkat using INPP4A Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120 S.

实验步骤

访问官网浏览详情: www.ablybio.cn