

# INHBC Rabbit pAb

货号: **AYP16287**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	38kDa
实测分子量	38kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,A-549,HT-29,BT-474,Mouse pancreas,Mouse brain
细胞定位	Secreted
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 103-352 of human INHB C (NP_005529.1).
序列	ETGLSTINQTRLDFHFSSDRTAGDREVQQASLMFFVQLPSNTTWTLKVRVVLVLPHTNLTATQYLLEVDASGWHQLPLGPEAQAACSQGHLTLELVLEGQVAQSSVILGGAHRPFVAARVRVGGKHQIHRRGIDCQGGSRMCCRQEFFVDFREIGWHDWIIQPEGYAMNFCIGQCPLHIAGMPGIAASFHTAVLNLLKANTAAGTTGGGSCCVPTARRPLSLLYDRDSNIVKTDIPDMVVEACGCS

## 靶点信息

研究背景	This gene encodes a member of the TGF-beta (transforming growth factor-beta) superfamily of proteins. The encoded preproprotein is proteolytically processed to generate a subunit of homodimeric and heterodimeric activin complexes. The heterodimeric complex may function in the inhibition of activin A signaling. Transgenic mice overexpressing this gene exhibit defects in testis, liver and prostate.
------	---

基因ID	3626
基因名	INHBC
Swiss	P55103
别名	INHBC;IHBC

## 产品验证



Western blot analysis of INHBC expressed in Mouse pancreas, MCF7, A-549 using INHBC Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)