

SP110 Rabbit pAb

货号: **AYP16310**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	28kDa/46kDa/61kDa/62kDa/78kDa/81kDa
实测分子量	78kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	NCI-H460,Jurkat,HeLa,Mouse heart,Mouse thymus,Mouse ovary,Mouse liver,Rat brain
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-290 of human SP110 (NP_004501.3).
序列	MFTMTRAMEEALFQHFHQKLGAIYAIHKPFFFEGLLDNSIITKRMYESLEACRNLIPIVSRVHNLTLQLERTFNLSLLVTLFSQINLREYPNLVTIYRSFKRVGASYERQSRDTPILLEAPTGLAEGSSLHTPLALPPPQPPQPCSCPCAPRVSEPGTSSQQSD EILSESPSPDPVLPALIQEGRSTSVTNDKLT SKMNAEEDSEEMPSLLTSTVQVASDNLIPQIRDKEDPQEMPHSPLGSM PEIRDNSPEPNDPEEPQEVSSPSSDKKGGKRRKRCIWSTPKR

靶点信息

研究背景	The nuclear body is a multiprotein complex that may have a role in the regulation of gene transcription. This gene is a member of the SP100/SP140 family of nuclear body proteins and encodes a leukocyte-specific nuclear body component. The protein can function as an activator of gene transcription and may serve as a nuclear hormone receptor coactivator. In addition, it has been suggested that the protein may play a role in ribosome biogenesis and in the induction of myeloid cell differentiation. Alternative splicing has been observed for this gene and three transcript variants, encoding distinct isoforms, have been identified.
------	---

基因ID	3431
基因名	SP110
Swiss	Q9HB58
别名	SP110;IFI41;IFI75;IPR1;VODI

产品验证



Western blot analysis of SP110 expressed in Mouse heart,Rat brain,NCI-H460 using SP110 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn