

— ABLYBIO, Help Your Research



# PRDM5 Rabbit pAb

货号: **AYP16366**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	12kDa/58kDa/69kDa/73kDa
实测分子量	110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse kidney,Mouse heart,Mouse lung,Mouse ovary,Rat kidney,Rat liver
细胞定位	Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-100 of human PRDM5 (NP_061169.2).
------	---

## 靶点信息

研究背景	The protein encoded by this gene is a transcription factor of the PR-domain protein family. It contains a P R-domain and multiple zinc finger motifs. Transcription factors of the PR-domain family are known to be involved in cell differentiation and tumorigenesis.
基因ID	11107
基因名	PRDM5
Swiss	Q9NQX1 ( <a href="https://www.uniprot.org/uniprotkb/Q9NQX1/entry">https://www.uniprot.org/uniprotkb/Q9NQX1/entry</a> )
别名	PRDM5,BCS2,PFM2,PRDM5 Rabbit pAb,PR domain-containing protein 5

## 产品验证



Western blot analysis of PRDM5 expressed in Mouse kidney,Rat kidney,Mouse heart using PRDM5 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))