

UBE2J2 Rabbit pAb

货号: **AYP16384**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	24kDa/28kDa/30kDa
实测分子量	29kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG,HeLa,293T,Mouse testis,Mouse brain
细胞定位	Endoplasmic reticulum membrane,Single-pass type IV membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-230 of human UBE2J2 (NP_477515.2).
序列	MSSTSSKRAPTTATQRLKQDYLRIKKDPVPYICAEPLPSNILEWHYVVRGPEMTPYEGGYH GKLI FPREFPFKPPSIYMITPN GRFKCNTRLCLSITDFHPDWTWNPAWSVSTILTGLLSFMVEKGP TLGSIETSDFTKRQLAVQSLAFNLKDKVFCELFPEVVEEI KQKQKAQDELSSRPQTLPLPDVVPDGETHLVQNGIQLLN GHAPGAVPNLAGLQANRHHGLLG

靶点信息

研究背景	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. This enzyme is located in the membrane of the endoplasmic reticulum. Multiple alternatively spliced transcript variants have been found for this gene, but the full-length nature of some variants has not been defined.
------	--

基因ID	118424
基因名	UBE2J2
Swiss	Q8N2K1
别名	UBE2J2;NCUBE-2;NCUBE2;PRO2121

产品验证



Western blot analysis of UBE2J2 expressed in Mouse testis,U-251MG,HeLa using UBE2J2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane . Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn