

BLVRB Rabbit pAb

货号: **AYP16413**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:100
理论分子量	22kDa
实测分子量	22KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,U-251MG
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-206 of human BLVRB (NP_000704.1).
序列	MAVKKIAIFGATGQTGLTTLAQAVQAGYEVTVLVRDSSRLPSEGPRPAHVWVGDLQAADV DKT VAGQDAVIVLLGTRND LSPTTVMSEGARNIVAAMKAHGVDKVVACTSAFLLDWPTKVPRLQAVTDDHIRMHKVLRESGLKYVAVMPPHIGDQPLT GAYTVTL DGRGPSRVISKHDLGHFMLRCLTTDEYDGHSTYPSHQYQ

靶点信息

研究背景	The final step in heme metabolism in mammals is catalyzed by the cytosolic biliverdin reductase enzymes A and B (EC 1.3.1.24).[supplied by OMIM, Jul 2009]
基因ID	645

基因名	BLVRB
Swiss	P30043
别名	BLVRB;BVRB;FLR;HEL-S-10;SDR43U1

产品验证



Western blot analysis of BLVRB expressed in U-87MG,U-251MG using BLVRB Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn