

— ABLYBIO, Help Your Research



TACR3 Rabbit pAb

货号: **AYP16428**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	52kDa
实测分子量	52kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HL-60,Human placenta
细胞定位	Cell membrane,Multi-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 356-465 of human TACR 3 (NP_001050.1).
------	--

靶点信息

研究背景	This gene belongs to a family of genes that function as receptors for tachykinins. Receptor affinities are specified by variations in the 5'-end of the sequence. The receptors belonging to this family are characterized by interactions with G proteins and 7 hydrophobic transmembrane regions. This gene encodes the receptor for the tachykinin neurokinin 3, also referred to as neurokinin B.
基因ID	6870
基因名	TACR3
Swiss	P29371 (https://www.uniprot.org/uniprotkb/P29371/entry)
别名	TACR3,HH11,NK-3R,NK3R,NKR,TAC3RL,TACR3 Rabbit pAb,NK-3 receptor,Neurokinin B receptor,Tachykinin receptor 3,TAC3R

产品验证



Western blot analysis of TACR3 expressed in HL-60, Human placenta using TACR3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)