

CSRNP1 Rabbit pAb

货号: AYP16460

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:100
理论分子量	63kDa
实测分子量	64KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HEL,U2OS,Molt-4(Negative control),Mouse thymus
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-200 of human CSRNP 1 (NP_149016.2).
序列	MTGLLKRKFDQLDEDNSSVSSSSSSSGCQSRSCSPSSSVSRAWDSEEEGPWDQMPLPDRDFCGPRSFTPLSILKRARRE RPGRVAFDGITVFYFPRCQGFTSVPSRGGCTLGMALRHSACRRFSLAEFAQEQARARHEKLRQLKEEKLEMLQWKL SAA GVPQAEAGLPPVDAIDDASVEEDLAVAVAGGRLEEVSLQ

靶点信息

研究背景	This gene encodes a protein that localizes to the nucleus and expression of this gene is induced in response to elevated levels of axin. The Wnt signalling pathway, which is negatively regulated by axin, is important in axis formation in early development and impaired regulation of this signalling pathway is often involved in tumors. A decreased level of expression of this gene in tumors compared to the level of expression in their corresponding normal tissues suggests that this gene product has a tumor suppressor function. Alternative splicing results in multiple transcript variants.
基因ID	64651
基因名	CSRNP1
Swiss	Q96S65
别名	CSRNP1;AXUD1;CSRNP-1;FAM130B;TAIP-3;URAX1

产品验证



Western blot analysis of CSRNP1 expressed in Mouse thymus,HEL,U2OS using CSRNP1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn