

STAMPB Rabbit pAb

货号: **AYP16491**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC IP
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:100 IP: 1:20 - 1:50
理论分子量	39kDa/48kDa
实测分子量	48kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,SW480,HepG2,HeLa,293T,Mouse brain,Rat lung,Rat liver
细胞定位	Cytoplasm,Early endosome,Membrane,Nucleus,Peripheral membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 100-270 of human STA MBP (NP_998787.1).
序列	FPKAEELKAELLKRYTKEYTEYNEEKKKEAEELARNMAIQELEKEKQ RVAQQKQQLEQEQFHAFEEMIRNQELEKERLKI VQEFGKVDPLGGPLVPDLEKPSLDVFP TLTVSSIQPSDCHTTVRPAKPPVDRSLKPGALSNSESIPTIDGLRHVVVPGRL CPQFLQL

靶点信息

研究背景	Cytokine-mediated signal transduction in the JAK-STAT cascade requires the involvement of adaptor molecules. One such signal-transducing adaptor molecule contains an SH3 domain that is required for induction of MYC and cell growth. The protein encoded by this gene binds to the SH3 domain of the signal-transducing adaptor molecule, and plays a critical role in cytokine-mediated signaling for MYC induction and cell cycle progression. Multiple alternatively spliced transcript variants encoding the same protein isoform have been found for this gene.
基因ID	10617
基因名	STAMPB
Swiss	O95630
别名	STAMPB;AMSH;MICCAP

产品验证



Western blot analysis of STAMPB expressed in Mouse brain,Rat lung,MCF7 using STAMPB Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn