

— ABLYBIO, Help Your Research



GITR Ligand/TNFSF18 Rabbit pAb

货号: **AYP16506**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	22kDa
实测分子量	46kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SW620,SKOV3,Mouse skeletal muscle,Rat skeletal muscle
细胞定位	Cell membrane,Single-pass type II membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 72-199 of human GITR Ligand/TNFSF18 (NP_005083.2).
------	--

靶点信息

研究背景	The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This cytokine is a ligand for receptor TNFRSF18/AITR/GITR. It has been shown to modulate T lymphocyte survival in peripheral tissues. This cytokine is also found to be expressed in endothelial cells, and is thought to be important for interaction between T lymphocytes and endothelial cells.
基因ID	8995
基因名	TNFSF18
Swiss	Q9UNG2 (https://www.uniprot.org/uniprotkb/Q9UNG2/entry)
别名	TNFSF18,AITRL,GITRL,TL6,TNLG2A,hGITRL,GITR Ligand/TNFSF18 Rabbit pAb,Activation-inducible TNF-related ligand,Glucocorticoid-induced TNF-related ligand

产品验证



Western blot analysis of GITR Ligand/TNFSF18 expressed in Mouse skeletal muscle, Rat skeletal muscle, S W620 using GITR Ligand/TNFSF18 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)